BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 47 NOS. 1,2 **CONTENTS** **JULY 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Identification of preferentially expressed cochlear genes by systematic sequencing of a rat cochlea cDNA library
A. Soto-Prior, M. Lavigne-Rebillard, M. Lenoir, C. Ripoll, G. Rebillard, P. Vago, R. Pujol and C.P. Hamel (France) 1

The rat galanin-gene promoter: response to members of the nuclear hormone receptor family, phorbol ester and forskolin
J.D. Corness, J.P.H. Burbach and T. Hökfelt (Sweden, The Netherlands) 11

Adrenergic differentiation potential in PC12 cells: influence of sodium butyrate and dexamethasone
S.N. Ebert, S.E. Lindley, T.G. Bengoechea, D. Bain and D.L. Wong (USA) 24

Changes in expression of ΔFosB and the Fos family proteins following NMDA receptor activation in the rat striatum
K.M. Hollen, Y. Nakabeppu and S.W. Davies (UK) 31

Activation of protein kinase A prevents the ethanol-induced up-regulation of δ-opioid receptor mRNA in NG108-15 cells
S. Jenab and C.E. Inturrisi (USA) 44

Molecular mechanism of regulation of pentylenetetrazol-induced calcium entry by 3'-untranslated region of a seizure-related cDNA, PTZ-17, in *Xenopus* oocytes
K. Kajiwara, E. Sugaya, N. Yuyama, H. Nagasawa, T. Tsuda, A. Sugaya, M. Motoki, K. Shimizu-Nishikawa and M. Kimura (Japan) 49

Molecular characterization and pharmacological properties of the human $P2X_3$ purinoceptor
M. Garcia-Guzman, W. Stühmer and F. Soto (Germany) 59

Cloning and developmental expression of 5-HT_{1A} receptor gene in *Xenopus laevis*
S. Marracci, D. Cini and I. Nardi (Italy) 67

Regulation of preprotachykinin-A mRNA in genetic hypertensive and normotensive rats
P. Pompei, S. Angeletti, C. Polidori, R. Ciccocioppo, G. De Caro and M. Massi (Italy) 78

Regulatory sequences for the transcription of the laminin B2 gene in astrocytes
V. Kedar, E. Freese and F.G. Hempel (USA) 87

Acute effects of D_1- and D_2-receptor agonist and antagonist drugs on somatostatin binding, inhibition of adenylyl cyclase activity and accumulation of inositol 1,4,5-trisphosphate in the rat striatum
R.M. Izquierdo-Claros, M.C. Boyano-Adánez, C. Larsson, L. Gustavsson and E. Arilla (Spain, Sweden) 99

Proteolytical processing of mutated human amyloid precursor protein in transgenic mice
C. Czech, P. Delaère, A.F. Macq, M. Reibaud, S. Dreisler, N. Touchet, B. Schombert, M. Mazadier, L. Mercken, M. Theisen, L. Pradier, J.-N. Octave, K. Beyreuther and G. Tremp (France, Belgium, Germany) 108

Influence of fluoxetine and *p*-chloroamphetamine on the somatostatin receptor–adenylyl cyclase system in the rat frontoparietal cortex
G. Muñoz-Acedo, R.M. Izquierdo-Claros, L. Puebla, E. Rodríguez-Martín and E. Arilla (Spain) 117

Regulation of preoptic area gonadotrophin-releasing hormone (GnRH) mRNA expression by gonadal steroids in the long-term gonadectomized male rat
D.P. Spratt and A.E. Herbison (UK) 125

Estrogen regulation of μ-opioid receptor mRNA in the forebrain of female rats
V. Quiñones-Jenab, S. Jenab, S. Ogawa, C. Inturrisi and D.W. Pfaff (USA) 134

Spatially restricted expression of fibroblast growth factor-10 mRNA in the rat brain
Y. Hattori, M. Yamasaki, M. Konishi and N. Itoh (Japan) 139

Cell-specific expression of β-amyloid precursor protein isoform mRNAs and proteins in neurons and astrocytes
H.A. Rohan de Silva, A. Jen, C. Wickenden, L.-S. Jen, S.L. Wilkinson and A.J. Patel (UK) 147

mRNAs encoding urokinase-type plasminogen activator and plasminogen activator inhibitor-1 are elevated in the mouse brain following kainate-mediated excitation
T. Masos and R. Miskin (Israel) 157

Differential regulation of type-1 and type-2α corticotropin-releasing hormone receptor mRNA in the hypothalamic paraventricular nucleus of the rat
S. Makino, T. Takemura, K. Asaba, M. Nishiyama, T. Takao and K. Hashimoto (Japan) 170

Ginsenoside Rb1 regulates ChAT, NGF and trkA mRNA expression in the rat brain
K.N. Salim, B.S. McEwen and H.M. Chao (USA) 177

(contents continued on p. 354)

0169-328X(199707)47:1/2;1-X

BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 47 NOS. 1,2 **CONTENTS** **JULY 1997**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Publisher's Announcement v

Guidelines for the submission of manuscripts vii

Research reports

Identification of preferentially expressed cochlear genes by systematic sequencing of a rat cochlea cDNA library
A. Soto-Prior, M. Lavigne-Rebillard, M. Lenoir, C. Ripoll, G. Rebillard, P. Vago, R. Pujol and C.P. Hamel (France) 1

The rat galanin-gene promoter: response to members of the nuclear hormone receptor family, phorbol ester and forskolin
J.D. Corness, J.P.H. Burbach and T. Hökfelt (Sweden, The Netherlands) 11

Adrenergic differentiation potential in PC12 cells: influence of sodium butyrate and dexamethasone
S.N. Ebert, S.E. Lindley, T.G. Bengoechea, D. Bain and D.L. Wong (USA) 24

Changes in expression of ΔFosB and the Fos family proteins following NMDA receptor activation in the rat striatum
K.M. Hollen, Y. Nakabeppu and S.W. Davies (UK) 31

Activation of protein kinase A prevents the ethanol-induced up-regulation of δ-opioid receptor mRNA in NG108-15 cells
S. Jenab and C.E. Inturrisi (USA) 44

Molecular mechanism of regulation of pentylenetetrazol-induced calcium entry by 3'-untranslated region of a seizure-related cDNA, PTZ-17, in *Xenopus* oocytes
K. Kajiwara, E. Sugaya, N. Yuyama, H. Nagasawa, T. Tsuda, A. Sugaya, M. Motoki, K. Shimizu-Nishikawa and M. Kimura (Japan) 49

Molecular characterization and pharmacological properties of the human $P2X_3$ purinoceptor
M. Garcia-Guzman, W. Stühmer and F. Soto (Germany) 59

Cloning and developmental expression of 5-HT_{1A} receptor gene in *Xenopus laevis*
S. Marracci, D. Cini and I. Nardi (Italy) 67

Regulation of preprotachykinin-A mRNA in genetic hypertensive and normotensive rats
P. Pompei, S. Angeletti, C. Polidori, R. Ciccocioppo, G. De Caro and M. Massi (Italy) 78

Regulatory sequences for the transcription of the laminin B2 gene in astrocytes
V. Kedar, E. Freese and F.G. Hempel (USA) 87

Acute effects of D_1- and D_2-receptor agonist and antagonist drugs on somatostatin binding, inhibition of adenylyl cyclase activity and accumulation of inositol 1,4,5-trisphosphate in the rat striatum
R.M. Izquierdo-Claros, M.C. Boyano-Adánez, C. Larsson, L. Gustavsson and E. Arilla (Spain, Sweden) 99

Proteolytical processing of mutated human amyloid precursor protein in transgenic mice
C. Czech, P. Delaère, A.F. Macq, M. Reibaud, S. Dreisler, N. Touchet, B. Schombert, M. Mazadier, L. Mercken, M. Theisen, L. Pradier, J.-N. Octave, K. Beyreuther and G. Tremp (France, Belgium, Germany) 108

Influence of fluoxetine and *p*-chloroamphetamine on the somatostatin receptor–adenylyl cyclase system in the rat frontoparietal cortex
G. Muñoz-Acedo, R.M. Izquierdo-Claros, L. Puebla, E. Rodríguez-Martín and E. Arilla (Spain) 117

Regulation of preoptic area gonadotrophin-releasing hormone (GnRH) mRNA expression by gonadal steroids in the long-term gonadectomized male rat
D.P. Spratt and A.E. Herbison (UK) 125

Estrogen regulation of μ-opioid receptor mRNA in the forebrain of female rats
V. Quiñones-Jenab, S. Jenab, S. Ogawa, C. Inturrisi and D.W. Pfaff (USA) 134

Spatially restricted expression of fibroblast growth factor-10 mRNA in the rat brain
Y. Hattori, M. Yamasaki, M. Konishi and N. Itoh (Japan) 139

Cell-specific expression of β-amyloid precursor protein isoform mRNAs and proteins in neurons and astrocytes
H.A. Rohan de Silva, A. Jen, C. Wickenden, L.-S. Jen, S.L. Wilkinson and A.J. Patel (UK) 147

mRNAs encoding urokinase-type plasminogen activator and plasminogen activator inhibitor-1 are elevated in the mouse brain following kainate-mediated excitation
T. Masos and R. Miskin (Israel) 157

Differential regulation of type-1 and type-2α corticotropin-releasing hormone receptor mRNA in the hypothalamic paraventricular nucleus of the rat
S. Makino, T. Takemura, K. Asaba, M. Nishiyama, T. Takao and K. Hashimoto (Japan) 170

Ginsenoside Rb1 regulates ChAT, NGF and trkA mRNA expression in the rat brain
K.N. Salim, B.S. McEwen and H.M. Chao (USA) 177

(contents continued on p. 354)

0169-328X(199707)47:1/2;1-X

(contents continued)

Early induction of mRNA for calbindin-D_{28k} and BDNF but not NT-3 in rat hippocampus after kainic acid treatment
S. Lee, J. Williamson, E.W. Lothman, F.G. Szele, M.F. Chesselet, S. Von Hagen, R.M. Sapolsky, M.P. Mattson and S. Christakos (USA) 183
Potential effect of cytokines on transgene expression in primary fibroblasts implanted into the rat brain
M. Schinstine, J. Ray and F.H. Gage (USA) 195
Dynamic expression suggests multiple roles of the eph family receptor brain-specific kinase (Bsk) during mouse neurogenesis
J.-H. Zhang, A.F. Pimenta, P. Levitt and R. Zhou (USA) 202
Alterations in the estrogen sensitivity of hypothalamic proenkephalin mRNA expression with age and prenatal exposure to alcohol
Y. Li, R.F. McGivern, A.H. Nagahara and R.J. Handa (USA) 215
End-capped antisense oligodeoxynucleotides effectively inhibit gene expression in vivo and offer a low-toxicity alternative to fully modified phosphorothioate oligodeoxynucleotides
M.O. Hebb and H.A. Robertson (Canada) 223
Modulation of angiotensin II type 2 receptor mRNA in rat hypothalamus and brainstem neuronal cultures by growth factors
X.-C. Huang, U.V. Shenoy, E.M. Richards and C. Sumners (USA) 229
A comparison of changes in nucleotide–protein interactions in the striatal, hippocampus and paramedian cortex after cerebral ischemia and reperfusion: correlations to regional vulnerability
B. Sankaran, J. Clemens and B.E. Haley (USA) 237
Rat nurr1 is prominently expressed in perirhinal cortex, and differentially induced in the hippocampal dentate gyrus by electroconvulsive vs. kindled seizures
G. Xing, L. Zhang, L. Zhang, T. Heynen, X.-L. Li, M.A. Smith, S.R.B. Weiss, A.N. Feldman, S. Detera-Wadleigh, D.-M. Chuang and R.M. Post (USA) 251
Transient expression of FGF-5 mRNA in the rat cerebellar cortex during post-natal development
Y. Hattori, A. Miyake, T. Mikami, M. Ohta and N. Itoh (Japan) 262
Reduced expression of α_{2C}-adrenoceptors in rat striatum following antisense oligodeoxynucleotide infusion
L. Lu and G.A. Ordway (USA) 267
Haloperidol regulates neurotensin gene expression in striatum of c-*fos*-deficient mice
L.P. Shearman and D.R. Weaver (USA) 275
AMPA receptor subunits expressed by single astrocytes in the juvenile mouse hippocampus
G. Seifert, L. Rehn, M. Weber and C. Steinhäuser (Germany) 286
Characterization of brain ecto-apyrase: evidence for only one ecto-apyrase (CD39) gene
T.-F. Wang, P.A. Rosenberg and G. Guidotti (USA) 295
The effect of cycloheximide on the regulation of proenkephalin and prodynorphin gene expressions induced by kainic acid in rat hippocampus
J.-S. Won, Y.-H. Kim, D.-K. Song and H.-W. Suh (South Korea) 303
Differential regional effects of long-term L-DOPA treatment on preproenkephalin and preprotachykinin gene expression in the striatum of 6-hydroxydopamine-lesioned rat
P. Salin, G. Dziewczapolski, O.S. Gershanik, A. Nieoullon and R. Raisman-Vozari (France) 311
Islet amyloid polypeptide and calcitonin gene-related peptide expression are down-regulated in dorsal root ganglia upon sciatic nerve transection
H. Mulder, Y. Zhang, N. Danielsen and F. Sundler (Sweden) 322
Clozapine and haloperidol differentially affect AMPA and kainate receptor subunit mRNA levels in rat cortex and striatum
D.J. Healy and J.H. Meador-Woodruff (USA) 331

Short communications

Arginine-481 mutation abolishes ligand-binding of the AMPA-selective glutamate receptor channel α_1-subunit
S. Kawamoto, S. Uchino, K.-Q. Xin, S. Hattori, K. Hamajima, J. Fukushima, M. Mishina and K. Okuda (Japan) 339
A novel splice variant of the cell adhesion molecule BIG-2 is expressed in the olfactory and vomeronasal neuroepithelia
M.L. Mimmack, H. Saito, G. Evans, M. Bresler, E.B. Keverne and P.C. Emson (UK) 345

Author Index 351